

Message

From: Nonresponsive based on revised scope
Sent: 8/13/2019 7:23:39 PM
To: R3 Clients [R3_Clients@epa.gov]
CC: McDonald, Brandon [McDonald.Brandon@epa.gov]; Nonresponsive based on revised scope; Wagner, Christine [Wagner.Christine@epa.gov]; Nonresponsive based on revised scope
Subject: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD SITE
Attachments: Shiloh Church ARF August 2019.pdf; metals_CRQLs.xls; PCB_CRQLs.xls

Good Afternoon,

Attached is an analytical request form for soil sampling scheduled from 8/21/19 - 9/18/19 at Shiloh Church Road. Data validation is not requested as this is for the determination of extent of contamination and confirmation. If you have any questions, please let me know.

Thank you,

Nonresponsive based on revised scope

This email will be sent to the following EPA staff as part of the email group R3_Clients:

Burman, Jarmael <Burman.Jarmael@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>; Costa, Karen <Costa.Karen@epa.gov>; Costas, Robin <Costas.Robin@epa.gov>; Fortune, Warren <fortune.warren@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>; Payne, Patrick <payne.patrick@epa.gov>; Poff, Kevin <Poff.Kevin@epa.gov>; Sassin, Pepa <Sassin.Pepa@epa.gov>

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.